

Polymer Journal

The Society of Polymer Science, Japan celebrates its 60th anniversary in 2012

Volume 44 Number 8

August 2012

www.nature.com/pj



Special Issue: NMR of Polymers – Recent advances and innovations
30th Anniversary of the Research Group on NMR in the
Society of Polymer Science, Japan

5

5

1



The Society of Polymer Science, Japan



nature publishing group



Polymer Journal

Volume 44, Number 8, August 2012

Special Issue: NMR of Polymers

The August 2012 issue of *Polymer Journal* is a special anniversary issue of the Research Group of NMR (RGNMR) in the Society of Polymer Science, Japan. We would like to thank guest editors Professor Tetsuo Asakura and Professor Atsushi Asano for their support with the planning and coordination of this issue.

EDITORIAL

- 733 **Preface to the special issue**
NMR of Polymers: recent advances and innovations
Tetsuo Asakura and Atsushi Asano

REVIEW

- 734 **Polymer Structures**
Some aspects of the NMR chemical shift/structure correlation in the structural characterization of polymers and biopolymers
Isao Ando

ORIGINAL ARTICLES

- 748 **Polymer Structures**
Proton NMR spin-diffusion studies of PS-PB block copolymers at low field: two- vs three-phase model and recalibration of spin-diffusion coefficients
Henriette W Meyer, Horst Schneider and Kay Saalwächter
- 757 **Crystalline structure and molecular mobility of PVDF chains in PVDF/PMMA blend films analyzed by solid-state ^{19}F MAS NMR spectroscopy**
Yu Koseki, Keitaro Aimi and Shinji Ando
- 764 **Structure and molecular mobility of nascent isotactic polypropylene powders**
Takeshi Yamanobe, Katsunori Ueki, Tadashi Komoto and Hiroki Uehara
- 772 **Mechanical properties and cross-linking structure of cross-linked natural rubber**
Oraphin Chaikumpollert, Yoshimasa Yamamoto, Krisda Suchiva and Seiichi Kawahara
- 778 **Strain-induced ^{13}C chemical shift change of natural rubber**
Masashi Kitamura, Yoshiaki Hata, Hiroshi Yasuoka, Takuzo Kurotsu and Atsushi Asano
- 786 **Solid-state ^{19}F MAS and $^1\text{H} \rightarrow ^{19}\text{F}$ CP/MAS NMR study of the phase-transition behavior of vinylidene fluoride-trifluoroethylene copolymers: 2. semi-crystalline films of VDF 75% copolymer**
Keitaro Aimi and Shinji Ando

Contents continued ...

- 795 **Solid-state ^1H -NMR relaxation behavior for ultra-high-molecular-weight polyethylene reactor powders with different morphologies**
Hiroki Uehara, Hidekazu Tanaka and Takeshi Yamanobe
- 802 **Structural characterization of silk-polyurethane composite material for biomaterials using solid-state NMR**
Yasumoto Nakazawa, Atsushi Asano, Chikako T Nakazawa, Toshihide Tsukatani and Tetsuo Asakura
- 808 **Statistical determination of chemical composition and monomer sequence distribution of poly(methyl methacrylate-co-*tert*-butyl methacrylate)s by multivariate analysis of ^{13}C NMR spectra**
Hikaru Momose, Tomoya Maeda, Kosuke Hattori, Tomohiro Hirano and Koichi Ute
- 815 **Application of multivariate analysis of NMR spectra of poly(*N*-isopropylacrylamide) to assignment of stereostructures and prediction of tacticity distribution**
Tomohiro Hirano, Takuya Anmoto, Nao Umezawa, Hikaru Momose, Yukiteru Katsumoto, Miyuki Oshimura and Koichi Ute
- 821 **Temperature dependence of the mean size of polyphenyleneoxide microvoids, as studied by Xe sorption and ^{129}Xe NMR chemical shift analyses**
Hiroaki Yoshimizu, Satoshi Ohta, Tomoko Asano, Tomoyuki Suzuki and Yoshiharu Tsujita
- 827 **Characterization of the microvoids of a tetramethyl polycarbonate/polystyrene blend system using Xe sorption measurements and ^{129}Xe NMR spectroscopy**
Hiroaki Yoshimizu, Takafumi Murakami, Tomoyuki Suzuki and Yoshiharu Tsujita
- 832 **Evaluation of hydrogen dissolved in rubber materials under high-pressure exposure using nuclear magnetic resonance**
Hirotada Fujiwara and Shin Nishimura
- 838 **NMR analysis and chemical shift calculations of poly(lactic acid) dimer model compounds with different tacticities**
Koto Suganuma, Ken Horiuchi, Hironori Matsuda, HN Cheng, Akihiro Aoki and Tetsuo Asakura
- 845 **Complete NMR assignment of a sulfonated aromatic block copolymer via heteronuclear single-quantum correlation, heteronuclear multiple-bond correlation and heteronuclear single-quantum correlation total correlation spectroscopy**
Mari Takasaki, Kazuo Kimura, Yoshitsugu Nakagawa, Nobuyuki Sato, Byungchan Bae, Kenji Miyatake and Masahiro Watanabe
- 850 **Characterization and structural determination of 3A-amino-3A-deoxy-(2AS, 3AS)-cyclodextrins by NMR spectroscopy**
Keiko Takahashi, Keita Andou and Shoji Fujiwara
- 855 **A utilization of internal/external quasi-static magnetic field gradients: transport phenomenon and magnetic resonance imaging of solid polymers**
Naoki Asakawa and Toshiki Obata
- Biopolymers, Bio-related Polymer Materials
- 863 **Change in local dynamics of bacteriorhodopsin with retinal isomerization under pressure as studied by fast magic angle spinning NMR**
Izuru Kawamura, Satoru Yamaguchi, Hirohide Nishikawa, Kana Tajima, Miyako Horigome, Satoru Tuzi, Hazime Saito and Akira Naito
- 868 **^1H MRI study of small-diameter silk vascular grafts in water**
Shigeki Kuroki, Masahito Kanekiyo, Koji Yazawa, Kotaro Isobe and Tetsuo Asakura
- 876 **Quantifying the fraction of alanine residues in an α -helical conformation in hornet silk using solid-state NMR**
Tsunenori Kameda

882 **Structural studies of amphiphilic oligopeptides composed of alternating alanine and ionizable amino-acid residues using CD and ^{13}C CP/MAS NMR spectroscopy**
Chikako T Nakazawa, Atsushi Asano and Takuzo Kurotsu

888 **Chemical profiling of complex biochemical mixtures from various seaweeds**
Yasuhiro Date, Kenji Sakata and Jun Kikuchi *Open*

895 **Statistical approach for solid-state NMR spectra of cellulose derived from a series of variable parameters**
Keiko Okushita, Takanori Komatsu, Eisuke Chikayama and Jun Kikuchi *Open*

901 **Estimation of the hydrodynamic screening length in κ -carrageenan solutions using NMR diffusion measurements**
Qihua Zhao and Shingo Matsukawa

907 **Field-dependent ^{19}F NMR study of sperm whale myoglobin reconstituted with a ring-fluorinated heme**
Yasuhiko Yamamoto, Satoshi Nagao, Yuki Hirai, Hulin Tai and Akihiro Suzuki

NOTE

913 **Biopolymers, Bio-related Polymer Materials**
A two-dimensional spin-diffusion NMR study on the local structure of a water-soluble model peptide for *Nephila clavipes* dragline silk (MaSp1) before and after spinning
Koji Yazawa, Erika Yamaguchi, Akihiro Aoki, Yasumoto Nakazawa, Yuu Suzuki and Tetsuo Asakura

Cover Illustration – Volume 44, No. 8 (August 2012)

NMR of Polymers: Assorted figures from the papers solicited for the Special Issue and a picture of Superconducting Magnet. Figures (clockwise from top right); Heme coordination structures (Yamamoto), HMBC spectrum of PLA (Suganuma *et al.*), ^{129}Xe spectra of ^{129}Xe in PPO (Yoshimizu *et al.*), ^{13}C CPMAS spectra of hornet cocoons (Kameda), ^{13}C spectra and loading histograms of PMMA-co-TBMA (Momose *et al.*), ^1H FID of UHMW-PE reactor powders (Uehara *et al.*)

Copyright © 2012 The Society of Polymer Science, Japan
Subscribing organisations are encouraged to copy and distribute this table of contents for internal, non-commercial purposes
 This issue is now available at:
www.nature.com/pj